



0493-CPR-0102

| Unique identification code of the product-type or product family:  | 0493-CPR-0102   |  |  |  |
|--|---|--|--|--|
|  | Tufted broadloom carpet-FR                                    |  |  |  |
| 2. Identification of the construction product:   | 100% polyamide, needled fleece backing                        |  |  |  |
| 2. Identification of the construction product.   | Total mass: 1.150 gr/m <sup>2</sup> - 3.100 gr/m <sup>2</sup> |  |  |  |
|  | Effective pile thickness: 3,5 mm - 13 mm                      |  |  |  |
| The product(s) are intended for use as floor covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 14041 |   |  |  |  |
|  | SAMUR HALILARI SANAYI VE TICARET A.S.                         |  |  |  |
| 4. Name and contact address of the manufacturer:   | Balıkhisar M. Koca Seyit Onbaşı C. No:13                      |  |  |  |
|  | 06750 Akyurt - ANKARA - TURKIYE                               |  |  |  |
| 5. Where applicable, name and contact address of the authorised representative (distributor, importer):  | not applicable  |  |  |  |
| <b>6.</b> System of assessment and verification of constancy of performance of the construction product:   | System-1  |  |  |  |

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

<<system>> Notified product certification body CENTEXBEL: 0493 performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance: 0493-CPR-0102.

8. Declared performance:

| Essential characteristic   | Performance         | Harmonised<br>technical<br>specification | Essential characteristic   | Performance    | Harmonised<br>technical<br>specification |
|--|---------------------|--|--|----------------|--|
| Reaction to fire<br>(EN 13501-1)                                   | B <sub>fl</sub> -s1 | EN 14041:2004<br>AC:2006                 | Electrical behaviour<br>(dissipative)<br>«EN 1081» or<br>«ISO 10965» | NPD            | EN 14041:2004<br>AC:2006                 |
| Content of<br>Pentachlorophenol<br>EN 12673                        | ° DL<br>PCP         |  | Electrical behaviour<br>(conductive)<br>«EN 1081» or<br>«ISO 10965»  | NPD            |  |
| Formaldehyde Emissions  «ENV 717-1» or  «ENV 717-2»                | NA<br>HCHO          |  | Thermal conductivity  «EN 12524» or  «EN 12667»                      | NPD            |  |
| Slip resistance<br>«EN 13893»                                      | DS                  |  | Water-tightness<br>«EN 13553»  | not applicable |  |
| Electrical behaviour<br>(antistatic)<br>«EN 1815» or<br>«ISO 6356» |                     |  |  |                |  |

**9.** The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Mustafa Yavuz BOKE, General Manager

Ankara, TURKIYE 01.10.2025

THIS CERTIFICATE IS VALID UNTIL 29.09.2028





0493-CPR-0103

| Unique identification code of the product-type or product family:   | 0493-CPR-0103   |  |
|---|---|--|
|   | Tufted carpet tiles-FR  |  |
| 2. Identification of the construction product:  | 100% polyamide, PVC backing                                   |  |
| 2. Identification of the construction product.  | Total mass: 4.200 gr/m <sup>2</sup> - 4.400 gr/m <sup>2</sup> |  |
|   | Effective pile thickness: 4 mm - 5 mm                         |  |
| 3. The product(s) are intended for use as floor covering(s) within a building according to the manufacturer's specifications and installation practices in accord with EN 14041 |   |  |
|   | SAMUR HALILARI SANAYI VE TICARET A.S.                         |  |
| 4. Name and contact address of the manufacturer:  | Balıkhisar M. Koca Seyit Onbaşı C. No:13                      |  |
|   | 06750 Akyurt - ANKARA - TURKIYE                               |  |
| 5. Where applicable, name and contact address of the authorised representative (distributor, importer):   | not applicable  |  |
| <b>6.</b> System of assessment and verification of constancy of performance of the construction product:  | System-1  |  |

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

<<system 1>>Notified product certification body CENTEXBEL: 0493 performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance: 0493-CPR-0103.

8. Declared performance:

| Essential characteristic   | Performance  | Harmonised<br>technical<br>specification | Essential characteristic   | Performance    | Harmonised<br>technical<br>specification |
|--|--------------|--|--|----------------|--|
| Reaction to fire<br>(EN 13501-1)                                   |              | EN 14041:2004<br>AC:2006                 | Electrical behaviour<br>(dissipative)<br>«EN 1081» or<br>«ISO 10965» | NPD            | EN 14041:2004<br>AC:2006                 |
| Content of<br>Pentachlorophenol<br>EN 12673                        | DL<br>PCP    |  | Electrical behaviour<br>(conductive)<br>«EN 1081» or<br>«ISO 10965»  | NPD            |  |
| Formaldehyde Emissions  «ENV 717-1» or  «ENV 717-2»                | ° NA<br>HCHO |  | Thermal conductivity < SO 8302(1991)° >                              |                |  |
| Slip resistance  ((EN 13893))                                      | DS           |  | Water-tightness<br>«EN 13553»  | not applicable |  |
| Electrical behaviour<br>(antistatic)<br>«EN 1815» or<br>«ISO 6356» | * 75         |  |  |                |  |

**9.** The perf ormance of the product identified in points 1 and 2 is in conformity with the declared perf ormance in point 9. This declaration of perf ormance is issued under the sole responsibility of the manuf acturer identified in point 4

Mustafa Yavuz BOKE, General Manager

Ankara, TURKIYE 01.10.2025

THIS CERTIFICATE IS VALID UNTIL 02.01.2028





0493-CPR-0237

| 1. Unique identification code of the product-type or product family:  | 0493-CPR-0237                            |  |  |  |
|---|--|--|--|--|
|   | Tufted carpet tiles-FR                   |  |  |  |
| 2. Identification of the construction product:  | 100% polypropylene, PVC backing          |  |  |  |
| 2. Identification of the construction product.  | Total mass: 3700 gr/m <sup>2</sup>       |  |  |  |
|   | Effective pile thickness: 2,5 mm - 5 mm  |  |  |  |
| 3. The product(s) are intended for use as floor covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 14041 |  |  |  |  |
|   | SAMUR HALILARI SANAYI VE TICARET A.S.    |  |  |  |
| 4. Name and contact address of the manufacturer:  | Balıkhisar M. Koca Seyit Onbaşı C. No:13 |  |  |  |
|   | 06750 Akyurt - ANKARA - TURKIYE          |  |  |  |
| 5. Where applicable, name and contact address of the authorised representative (distributor, importer):   | not applicable                           |  |  |  |
| <b>6.</b> System of assessment and verification of constancy of performance of the construction product:  | System-1                                 |  |  |  |

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

<<system 1>>Notified product certification body CENTEXBEL: 0493 performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance: 0493-CPR-0237.

8. Declared performance:

| Essential characteristic   | Performance  | Harmonised<br>technical<br>specification | Essential characteristic   | Performance    | Harmonised<br>technical<br>specification |
|--|--------------|--|--|----------------|--|
| Reaction to fire<br>(EN 13501-1)                                   |              | EN 14041:2004<br>AC:2006                 | Electrical behaviour<br>(dissipative)<br>«EN 1081» or<br>«ISO 10965» | NPD            | EN 14041:2004<br>AC:2006                 |
| Content of<br>Pentachlorophenol<br>EN 12673                        | © DL<br>PCP  |  | Electrical behaviour<br>(conductive)<br>«EN 1081» or<br>«ISO 10965»  | NPD            |  |
| Formaldehyde Emissions  «ENV 717-1» or  «ENV 717-2»                | ° NA<br>HCHO |  | Thermal conductivity < SO 8302(1991)° >                              |                |  |
| Slip resistance<br>«EN 13893»                                      | DS           |  | Water-tightness<br>((EN 13553))                                      | not applicable |  |
| Electrical behaviour<br>(antistatic)<br>«EN 1815» or<br>«ISO 6356» | ° 72         |  |  |                |  |

**9.** The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

Mustafa Yavuz BOKE, General Manager

Ankara, TURKIYE 01.10.2025

THIS CERTIFICATE IS VALID UNTIL 07.03.2028





0493-CPR-0238

| 1. Unique identification code of the product-type or product family:                                     | 0493-CPR-0238  |
|--|--|
|  | Tufted carpet tiles-FR   |
| • Idea (Carlos of the cards of the cards)  | 100% polyamide, PVC backing  |
| 2. Identification of the construction product:   | Total mass: 3750 gr/m <sup>2</sup> - 4200 gr/m <sup>2</sup>                          |
|  | Effective pile thickness: 3 mm - 4,5 mm  |
| 3. The product(s) are intended for use as floor covering(s) within a building account with EN 14041      | ording to the manufacturer's specifications and installation practices in accordance |
|  | SAMUR HALILARI SANAYI VE TICARET A.S.  |
| 4. Name and contact address of the manufacturer:   | Balıkhisar M. Koca Seyit Onbaşı C. No:13   |
|  | 06750 Akyurt - ANKARA - TURKIYE  |
| 5. Where applicable, name and contact address of the authorised representative (distributor, importer):  | not applicable   |
| <b>6.</b> System of assessment and verification of constancy of performance of the construction product: | System-1   |
| · · · · · · · · · · · · · · · · · · ·  |  |

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

<<system 1>>Notified product certification body CENTEXBEL: 0493 performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance: 0493-CPR-0238.

8. Declared performance:

| Essential characteristic   | Performance  | Harmonised<br>technical<br>specification | Essential characteristic   | Performance    | Harmonised<br>technical<br>specification |
|--|--------------|--|--|----------------|--|
| Reaction to fire<br>(EN 13501-1)                                   |              | EN 14041:2004<br>AC:2006                 | Electrical behaviour<br>(dissipative)<br>«EN 1081» or<br>«ISO 10965» | NPD            | EN 14041:2004<br>AC:2006                 |
| Content of<br>Pentachlorophenol<br>EN 12673                        | ° DL<br>PCP  |  | Electrical behaviour<br>(conductive)<br>«EN 1081» or<br>«ISO 10965»  | NPD            |  |
| Formaldehyde Emissions  «ENV 717-1» or  «ENV 717-2»                | ° NA<br>HCHO |  | Thermal conductivity < SO 8302(1991)° >                              |                |  |
| Slip resistance<br>«EN 13893»                                      | DS           |  | Water-tightness<br>«EN 13553»  | not applicable |  |
| Electrical behaviour<br>(antistatic)<br>«EN 1815» or<br>«ISO 6356» |              |  |  |                |  |

**9.** The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

Mustafa Yavuz BOKE, General Manager

Ankara, TURKIYE 01.10.2025

THIS CERTIFICATE IS VALID UNTIL 14.01.2028





0493-CPR-0243

| Unique identification code of the product-type or product family:   | 0493-CPR-0238                            |  |  |
|---|--|--|--|
|   | Tufted carpet tiles-FR                   |  |  |
| 2. Identification of the construction product:  | 100% polyamide, PVC backing              |  |  |
| 2. Identification of the construction product.  | Total mass: 4300 gr/m <sup>2</sup>       |  |  |
|   | Effective pile thickness: 4 mm - 4,5 mm  |  |  |
| 3. The product(s) are intended for use as floor covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 14041 |  |  |  |
|   | SAMUR HALILARI SANAYI VE TICARET A.S.    |  |  |
| 4. Name and contact address of the manufacturer:  | Balıkhisar M. Koca Seyit Onbaşı C. No:13 |  |  |
|   | 06750 Akyurt - ANKARA - TURKIYE          |  |  |
| 5. Where applicable, name and contact address of the authorised representative (distributor, importer):   | not applicable                           |  |  |
| 6. System of assessment and verification of constancy of performance of the construction product:   | System-1                                 |  |  |

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

<<system 1>>Notified product certification body CENTEXBEL: 0493 performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance: 0493-CPR-0243.

8. Declared performance:

| Essential characteristic   | Performance  | Harmonised<br>technical<br>specification | Essential characteristic   | Performance    | Harmonised<br>technical<br>specification |
|--|--------------|--|--|----------------|--|
| Reaction to fire<br>(EN 13501-1)                                   |              | EN 14041:2004<br>AC:2006                 | Electrical behaviour<br>(dissipative)<br>«EN 1081» or<br>«ISO 10965» | NPD            | EN 14041:2004<br>AC:2006                 |
| Content of<br>Pentachlorophenol<br>EN 12673                        | ° DL<br>PCP  |  | Electrical behaviour<br>(conductive)<br>«EN 1081» or<br>«ISO 10965»  | NPD            |  |
| Formaldehyde Emissions  «ENV 717-1» or  «ENV 717-2»                | ° NA<br>HCHO |  | Thermal conductivity < SO 8302(1991)° >                              |                |  |
| Slip resistance<br>«EN 13893»                                      | DS           |  | Water-tightness<br>«EN 13553»  | not applicable |  |
| Electrical behaviour<br>(antistatic)<br>«EN 1815» or<br>«ISO 6356» |              |  |  |                |  |

**9.** The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

Mustafa Yavuz BOKE, General Manager

Ankara, TURKIYE 01.10.2025

THIS CERTIFICATE IS VALID UNTIL 19.09.2028